| | Туре | L | # | Hits | Search Text | DBs | Time Stamp | Comment |
|---|------|----|---|------|---|---|----------------------|---------|
| 1 | IS&R | L1 | | 17 | (("4406711") or ("2645574") or ("20020007871") or ("4394187") or ("4032333")).PN. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB | 2005/05/2 4 20:02 | |
| 2 | BRS | L2 | | 2 | EP-1143026-\$.did. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB | 2005/05/2 4 20:10 | |
| 3 | BRS | L3 | | 3029 | (428/681 or 428/682 or 428/683 or 228/262.41 or 148/516 or 148/519 or 148/521 or 148/529).ccls. | USOCR | 2005/05/2 4 20:11 | |

| | Туре | L # | Hits | Search Text | DBs | Time Stamp | Comment |
|---|------|-----|------|--|--|----------------------|---------|
| 4 | BRS | L4 | 94 | and (morybdenum or mo) | US- PGPUB; USPAT; USOCR; EPO; DERWE NT; IBM_T DB | 2005/05/2 4 20:12 | |
| 5 | BRS | L5 | 11 | 4 and (normalize or normalizing or normalized) | US- PGPUB ; USPAT | 2005/05/2 4 20:12 | |
| 6 | BRS | L6 | 1 | 5 and (annealed or annealing or anneal or tempered or tempering) | 1 | 2005/05/2 4 20:14 | |

| | Туре | L # | Hits | Search Text | DBs | Time Stamp | Comment |
|---|------|------------|------|--|--|----------------------|---------|
| 7 | BRS | L 7 | 10 | 6 and (welded or welding or weld or joining or joined) | US- PGPUB; USPAT; USOCR; EPO; DERWE NT; IBM_T DB | 2005/05/2 4 20:21 | |

| | | _ | TD | Issue _ | | mi e l | | | | |
|----|---|---|-------------------------|----------|-------|---|--|--|--|--|
| | ט | 1 | Document ID | Date | Pages | Title | | | | |
| 1 | | | A1 | 20021128 | 8 | High pressure cylinders including backing steel with tool steel lining | | | | |
| 2 | | | US 20020170634 Al | 20021121 | 16 | Postweld heat treatment process of carbon steel and low alloy steel | | | | |
| 3 | | | US 6887322 B2 | 20050503 | 8 | High pressure cylinders including backing steel with tool steel lining | | | | |
| 4 | | | US 6676777 B2 | 20040113 | 15 | Postweld heat treatment process of carbon steel and low alloy steel | | | | |
| 5 | | | US 6322642 B1 | 20011127 | 7 | Process and steel for the manufacture of a pressure vessel working in the presence hydrogen sulfide | | | | |
| 6 | | | US 5855699 A | 19990105 | 7 | Method for manufacturing welded clad steel tube | | | | |
| 7 | | | US 5066546 A | 19911119 | 7 | Wear-resistant steel castings | | | | |
| 8 | | | US 4273838 A | 19810616 | 14 | Weld metal resistant to neutron-bombardment embrittlement | | | | |
| 9 | | | US 3231971 A | 19660201 | 5 | Method of producing fusion coated metal base | | | | |
| 10 | | | US 3110798 A | 19631112 | 2 | Submerged arc weld metal composition | | | | |

| | Current OR | Current XRef | Retrieval Classif | Inventor | s | С | P | 2 | 3 |
|----|------------|--|----------------------|-------------------------------|---|---|---|---|---|
| 1 | 148/519 | 428/683 | | Smith, Donald W. et | x | | | | |
| 2 | 148/516 | 148/627 | | Kimura, Kazuhiro et al. | x | | | | |
| 3 | | 148/519; 148/527; 148/529; 148/579; 148/590; 148/592; 29/888.06 | | Smith; Donald W. et al. | х | | | | |
| 4 | 148/529 | 148/644 | | Kimura; Kazuhiro et al. | x | | | | |
| 5 | 148/336 | 148/333; 148/334; 148/335; 148/529; 148/534 | | Bocquet; Pierre et al. | х | | | | |
| 6 | 148/519 | 148/521; 148/530; 148/534 | | Oyama; Motoaki et al. | x | | | | |
| 7 | 428/627 | 428/614; 428/683; 428/684 | · | Materkowski; James P. | x | | | | |
| 8 | 428/683 | 219/137WM; 376/900; 420/105; 420/119; 420/120; 420/123; 420/91; 976/DIG.181 | | Biemiller; Eric C. | x | | | | |
| 9 | 148/534 | 148/529; 338/32R; 427/123; 427/191; 428/553; 428/679; 428/936; 428/939 | | MCFARLAND WILLIAM H et al. | х | | | | |
| 10 | 1214/74 | 228/262.41; 420/91 | | KEAY JR LOUIS K | x | | | | |